*International Endodontic Journal* (1997) **30**, 428–430

# Author Index

Al-Omari MAO, Bryant S, Dummer PMH. Comparison of two stainless steel files to shape simulated root canals, 35
Al-Omari MAO, *see also* Bataineh ABD *et al.*
Anic I *see* Jukic S *et al.*
Assed S *see* Bezerra da Silva LA *et al.*

Barbakow F, Lutz F. The 'Lightspeed' preparation technique evaluated by Swiss clinicians after attending continuing education courses, 46
Bartha K *see* Nagy CD *et al.*
Barthel CR, Levin LG, Reisner HM, Trope M. TNF-alpha release in monocytes after exposure to calcium hydroxide treated *Escherichia coli* LPS, 155
Bataineh ABD, Al-Omari MAO, Owais AI. Arsenical necrosis of the jaws, 283
Bernäth M *see* Nagy CD *et al.*
Bezerra da Silva LA, Leonardo MR, da Silva RS, Assed S, Guimaraes LFL. Calcium hydroxide root canal sealers: evaluation of pH, calcium ion concentration and conductivity, 205
Biagioni PA *see* Hussey DL *et al.*; McCullagh JJP *et al.*
Bishop K, Dummer PMH. A comparison of stainless steel Flexofiles and nickel-titanium NiTiFlex files during the shaping of simulated canals, 25
Blake SA *see* Klein RMF *et al.*
Blaskovic-Subat V *see* Martin G & Blaskovic-Subat V
Blum J-Y, Machtou P, Esber S, Micallef JP. Analysis of forces developed during root canal preparation with the balanced force technique, 386
Bogaerts P. Treatment of root perforations with calcium hydroxide and SuperEBA cement: a clinical report, 210
Boucher Y *see* Sauveur G *et al.*
Boutsioukis A *see* Liolios E *et al.*
Brown JE *see* Harris IR & Brown JE
Bryant S *see* Al-Omari MAO *et al.*; Lloyd A *et al.*
Burkes EJ *see* Mesaros S *et al.*

Çaliskan MK, Türkün M, Öztop F. Histological evaluation of a tooth with hyperplastic pulpitis and periapical osteosclerosis, 347
Campos MJA *see* Imura N *et al.*
Carmichael F *see* Nattress BR *et al.*
Cederberg RA *see* Tidwell E *et al.*
Cengiz T *see* Türkün M & Cengiz T
Chailertvanitkul P, Saunders WP, Saunders EM, Mackenzie D. An evaluation of microbial coronal leakage in the restored pulp chamber of root-canal treated multirooted teeth, 318
Chong BS, Pitt Ford TR, Kariyawasam SP. Short-term tissue response to potential root-end filling materials in infected root canals, 240
Chong BS, Pitt Ford TR, Kariyawasam SP. Tissue response to potential root-end filling materials in infected root canals, 102
Cunningham L *see* Russell MD *et al.*

da Silva RS *see* Bezerra da Silva LA *et al.*
de Uzeda M *see* Siqueira JF *et al.*
Debelian GJ, Olsen I, Tronstad L. Observation of *Saccharomyces cerevisiae* in blood of patient undergoing root canal treatment, 313
Dhopatkar A *see* Lloyd A *et al.*
Dummer P *see* Lloyd A *et al.*
Dummer PMH *see* Al-Omari MAO *et al.*; Bishop K & Dummer PMH; Fava LRG & Dummer PMH; Hayes SJ & Dummer PMH; Lloyd A *et al.*; Qualtrough AJE & Dummer PMH; Thompson SA & Dummer PMH

Economides N *see* Liolios E *et al.*
Edmunds DH *see* Smith RB & Edmunds DH
Ellis CD *see* Tidwell E *et al.*
Emery C. Report of the British Endodontic Society Spring Meeting, March 1997, 223
Esber S *see* Blum J-Y *et al.*

Fava LRG, Dummer PMH. Periapical radiographic techniques during endodontic diagnosis and treatment, 250
Figdor D *see* Sjögren U *et al.*
Forsberg J, Halse A. Periapical radiolucencies as evaluated by bisecting-angle and paralleling radiographic techniques, 115
Fox K, Gutteridge DL. An *in vitro* study of coronal microleakage in root canal treated teeth restored by the post and core technique, 361
Fuss Z, Weiss EI, Shalhav M. Antibacterial activity of calcium hydroxide-containing endodontic sealers on *Enterococcus faecalis in vitro*, 397
Fuss Z. *see also* Kaufman AY *et al.*

Guimaraes LFL *see* Bezerra da Silva LA *et al.*
Gutmann J *see* Lloyd A *et al.*
Gutteridge DL *see* Fox K & Gutteridge DL

Haapasalo MPP *see* Siren EK *et al.*; Waltimo TMT *et al.*
Halse A *see* Forsberg J & Halse A
Harris IR, Brown JE. Application of cross-sectional imaging in the differential diagnosis of apical radiolucency, 288
Hayes SJ, Dummer PMH. Late failure of root canal therapy: a diagnostic and treatment planning challenge. Case report, 68
Heard F, Walton RE. Scanning electron microscope study comparing four root canal preparation techniques in small curved canals, 323
Hirschmann PN *see* Klein RMF *et al.*
Holtzman L. Root canal treatment of a mandibular canine with three root canals. Case report, 291
Holtzman L. Root canal treatment of a mandibular first molar with three mesial root canals, 422
Hülsmann M. Dens invaginatus: aetiology, classification, prevalence, diagnosis, and treatment considerations, 79
Hülsmann M, Stotz S. Efficacy, cleaning ability and safety of different devices for gutta-percha removal in root canal retreatment, 227
Hussey DL, Biagioni PA, McCullagh JJP, Lamey P-J. Thermographic assessment of heat generated on the root surface during post space preparation, 187
Hussey DL. *see also* McCullagh JJP *et al.*
Hutson B *see* Tidwell E *et al.*

Imura N, Otani SM, Campos MJA, Jardim EG, Zuolo ML. Bacterial penetration through temporary restorative materials in root canal-treated teeth *in vitro*, 381



© 1997 Blackwell Science Ltd

*International Endodontic Journal* (1997) **30**, 428–430

# Author Index

Al-Omari MAO, Bryant S, Dummer PMH. Comparison of two stainless steel files to shape simulated root canals, 35
Al-Omari MAO, *see also* Bataineh ABD *et al.*
Anic I *see* Jukic S *et al.*
Assed S *see* Bezerra da Silva LA *et al.*

Barbakow F, Lutz F. The 'Lightspeed' preparation technique evaluated by Swiss clinicians after attending continuing education courses, 46
Bartha K *see* Nagy CD *et al.*
Barthel CR, Levin LG, Reisner HM, Trope M. TNF-alpha release in monocytes after exposure to calcium hydroxide treated *Escherichia coli* LPS, 155
Bataineh ABD, Al-Omari MAO, Owais AI. Arsenical necrosis of the jaws, 283
Bernäth M *see* Nagy CD *et al.*
Bezerra da Silva LA, Leonardo MR, da Silva RS, Assed S, Guimaraes LFL. Calcium hydroxide root canal sealers: evaluation of pH, calcium ion concentration and conductivity, 205
Biagioni PA *see* Hussey DL *et al.*; McCullagh JJP *et al.*
Bishop K, Dummer PMH. A comparison of stainless steel Flexofiles and nickel-titanium NiTiFlex files during the shaping of simulated canals, 25
Blake SA *see* Klein RMF *et al.*
Blaskovic-Subat V *see* Martin G & Blaskovic-Subat V
Blum J-Y, Machtou P, Esber S, Micallef JP. Analysis of forces developed during root canal preparation with the balanced force technique, 386
Bogaerts P. Treatment of root perforations with calcium hydroxide and SuperEBA cement: a clinical report, 210
Boucher Y *see* Sauveur G *et al.*
Boutsioukis A *see* Liolios E *et al.*
Brown JE *see* Harris IR & Brown JE
Bryant S *see* Al-Omari MAO *et al.*; Lloyd A *et al.*
Burkes EJ *see* Mesaros S *et al.*

Çaliskan MK, Türkün M, Öztop F. Histological evaluation of a tooth with hyperplastic pulpitis and periapical osteosclerosis, 347
Campos MJA *see* Imura N *et al.*
Carmichael F *see* Nattress BR *et al.*
Cederberg RA *see* Tidwell E *et al.*
Cengiz T *see* Türkün M & Cengiz T
Chailertvanitkul P, Saunders WP, Saunders EM, Mackenzie D. An evaluation of microbial coronal leakage in the restored pulp chamber of root-canal treated multirooted teeth, 318
Chong BS, Pitt Ford TR, Kariyawasam SP. Short-term tissue response to potential root-end filling materials in infected root canals, 240
Chong BS, Pitt Ford TR, Kariyawasam SP. Tissue response to potential root-end filling materials in infected root canals, 102
Cunningham L *see* Russell MD *et al.*

da Silva RS *see* Bezerra da Silva LA *et al.*
de Uzeda M *see* Siqueira JF *et al.*
Debelian GJ, Olsen I, Tronstad L. Observation of *Saccharomyces cerevisiae* in blood of patient undergoing root canal treatment, 313
Dhopatkar A *see* Lloyd A *et al.*
Dummer P *see* Lloyd A *et al.*
Dummer PMH *see* Al-Omari MAO *et al.*; Bishop K & Dummer PMH; Fava LRG & Dummer PMH; Hayes SJ & Dummer PMH; Lloyd A *et al.*; Qualtrough AJE & Dummer PMH; Thompson SA & Dummer PMH

Economides N *see* Liolios E *et al.*
Edmunds DH *see* Smith RB & Edmunds DH
Ellis CD *see* Tidwell E *et al.*
Emery C. Report of the British Endodontic Society Spring Meeting, March 1997, 223
Esber S *see* Blum J-Y *et al.*

Fava LRG, Dummer PMH. Periapical radiographic techniques during endodontic diagnosis and treatment, 250
Figdor D *see* Sjögren U *et al.*
Forsberg J, Halse A. Periapical radiolucencies as evaluated by bisecting-angle and paralleling radiographic techniques, 115
Fox K, Gutteridge DL. An *in vitro* study of coronal microleakage in root canal treated teeth restored by the post and core technique, 361
Fuss Z, Weiss EI, Shalhav M. Antibacterial activity of calcium hydroxide-containing endodontic sealers on *Enterococcus faecalis in vitro*, 397
Fuss Z. *see also* Kaufman AY *et al.*

Guimaraes LFL *see* Bezerra da Silva LA *et al.*
Gutmann J *see* Lloyd A *et al.*
Gutteridge DL *see* Fox K & Gutteridge DL

Haapasalo MPP *see* Siren EK *et al.*; Waltimo TMT *et al.*
Halse A *see* Forsberg J & Halse A
Harris IR, Brown JE. Application of cross-sectional imaging in the differential diagnosis of apical radiolucency, 288
Hayes SJ, Dummer PMH. Late failure of root canal therapy: a diagnostic and treatment planning challenge. Case report, 68
Heard F, Walton RE. Scanning electron microscope study comparing four root canal preparation techniques in small curved canals, 323
Hirschmann PN *see* Klein RMF *et al.*
Holtzman L. Root canal treatment of a mandibular canine with three root canals. Case report, 291
Holtzman L. Root canal treatment of a mandibular first molar with three mesial root canals, 422
Hülsmann M. Dens invaginatus: aetiology, classification, prevalence, diagnosis, and treatment considerations, 79
Hülsmann M, Stotz S. Efficacy, cleaning ability and safety of different devices for gutta-percha removal in root canal retreatment, 227
Hussey DL, Biagioni PA, McCullagh JJP, Lamey P-J. Thermographic assessment of heat generated on the root surface during post space preparation, 187
Hussey DL. *see also* McCullagh JJP *et al.*
Hutson B *see* Tidwell E *et al.*

Imura N, Otani SM, Campos MJA, Jardim EG, Zuolo ML. Bacterial penetration through temporary restorative materials in root canal-treated teeth *in vitro*, 381



© 1997 Blackwell Science Ltd

Jardim EG *see* Imura N *et al.*
Jaunberzins A *see* Lloyd A *et al.*
Jenkins JD *see* Tidwell E *et al.*
Jukic S, Anic I, Koba K, Najzar-Fleger D, Matsumoto K. The effect of pulpotomy using CO2 and Nd:YAG lasers on dental pulp tissue, 175

Kahn FH, Rosenberg PA, Schertzer L, Korthals G, Nguyen PNT. An *in-vitro* evaluation of sealer placement methods, 181
Kariyawasam SP *see* Chong BS *et al.*
Kaufman AY, Fuss Z, Keila S, Waxenberg S. Reliability of different electronic apex locators to detect root perforations *in vitro*, 403
Keila S *see* Kaufman AY *et al.*
Kerosuo ENJ *see* Siren EK *et al.*
Klein RMF, Blake SA, Nattress BR, Hirschmann PN. Evaluation of X-ray beam angulation for successful twin canal identification in mandibular incisors, 58
Koba K *see* Jukic S *et al.*
Kontakiotis EG, Wu M-K, Wesselink PR. Effect of sealer thickness on long-term sealing ability: a 2-year follow-up study, 307
Korthals G *see* Kahn FH *et al.*

Lamberghini F *see* Zmener O *et al.*
Lamey P-J *see* Hussey DL *et al.*; McCullagh JJP *et al.*
Langeland K *see* Ricucci D & Langeland K
Leonardo MR *see* Bezerra da Silva LA *et al.*
Levin LG *see* Barthel CR *et al.*
Liolios E, Economides N, Parissis-Messimeris S, Boutsioukis A. The effectiveness of three irrigating solutions on root canal cleaning after hand and mechanical preparation, 51
Lloyd A, Gutmann J, Dummer P, Newcombe R. Microleakage of Diaket and amalgam in root-end cavities prepared using MicroMega sonic retro-prep tips, 196
Lloyd A, Jaunberzins A, Dhopatkar A, Bryant S, Dummer PMH. Shaping ability of the M4 handpiece and Safety Hedstrom Files in simulated root canals, 16
Lopes HP *see* Siqueira JF *et al.*
Lumley PJ *see* McRobert AS & Lumley PJ
Lutz F *see* Barbakow F & Lutz F

McCullagh JJP, Biagioni PA, Lamey P-J, Hussey DL. Thermographic assessment of root canal obturation using thermomechanical compaction, 191
McCullagh JJP, *see also* Hussey DL *et al.*
Machado AG *see* Siqueira JF *et al.*
Machtou P *see* Blum J-Y *et al.*
Mackenzie D *see* Chailertvanitkul P *et al.*
McRobert AS, Lumley PJ. An *in vitro* investigation of coronal leakage with three gutta percha backfilling techniques, 413
Maixner W *see* Mesaros S *et al.*
Manogue M *see* Nattress BR *et al.*
Martin G, Blaskovic-Subat V. Preparation of simulated root canals using the Macfile, Canal Master U and K-Flexofile, 160
Masood M *see* Russell MD *et al.*
Matsumoto K *see* Jukic S *et al.*
Mesaros S, Trope M, M<aixner W, Burkes EJ. Comparison of two laser Doppler systems on the measurement of blood flow of premolar teeth under different pulpal conditions, 167
Micallef JP *see* Blum J-Y *et al.*

Nagy CD, Bartha K, Bernáth M, Verdes E, Szabö J. A comparative study of seven instruments in shaping the root canal *in vitro*, 124
Nagy CD, Bartha K, Bernáth M, Verdes E, Szabö J. The effect of root canal morphology on canal shape following instrumentation using different techniques, 133
Najzar-Fleger D *see* Jukic S *et al.*
Nattress BR, Manogue M, Carmichael F. A model for the teaching of clinical techniques in root canal treatment, 343
Nattress BR, *see also* Klein RMF *et al.*
Newcombe R *see* Lloyd A *et al.*
Nguyen PNT *see* Kahn FH *et al.*

Olsen I *see* Debelian GJ *et al.*; Waltimo TMT *et al.*
Otani SM *see* Imura N *et al.*
Owais AI *see* Bataineh ABD *et al.*
Öztop F *see* Çaliskan MK *et al.*

Parissis-Messimeris S *see* Liolios E *et al.*
Persson S *see* Sjögren U *et al.*
Pitt Ford TR *see* Chong BS *et al.*

Qualtrough AJE, Dummer PMH. Undergraduate endodontic teaching in the United Kingdom: an update, 234

Ranta K *see* Siren EK *et al.*
Rees JS. Conservative management of a large maxillary cyst, 64
Reisner HM *see* Barthel CR *et al.*
Ricucci D, Langeland K. Incomplete calcium hydroxide removal from the root canal – a case report, 418
Rosenberg PA *see* Kahn FH *et al.*
Roth F *see* Sauveur G *et al.*
Rucci M *see* Zmener O *et al.*
Russell MD, Masood M, Cunningham L. The behaviour of post-retained core materials supported by coronal tooth structure *in vitro*, 408

Salmi P *see* Siren EK *et al.*
Saunders EM *see* Chailertvanitkul P *et al.*
Saunders WP *see* Chailertvanitkul P *et al.*
Sauver G, Roth F, Sobel M, Boucher Y. Surgical treatment of a periradicular lesion on an invaginated maxillary lateral incisor (*dens in dente*), 145
Schertzer L *see* Kahn FH *et al.*
Shalhav M *see* Fuss Z *et al.*
Silveira RM *see* Siqueira JF *et al.*
Siqueira JF, Machado AG, Silveira RM, Lopes HP, de Uzeda M. Evaluation of the effectiveness of sodium hypochlorite used with three irrigation methods in the elimination of *Enterococcus faecalis* from the root canal, *in vitro*, 279
Siren EK, Haapasalo MPP, Ranta K, Salmi P, Kerosuo ENJ. Microbiological findings and clinical treatment procedures in endodontic cases selected for microbiological investigation, 91
Siren EK, *see also* Waltimo TMT *et al.*
Sithisarn P *see* Vajrabhaya L & Sithisarn P
Sjögren U, Figdor D, Persson S, Sundqvist G. Influence of infection at the time of root filling on the outcome of endodontic treatment of teeth with apical periodontitis, 297
Smith RB, Edmunds DH. Comparison of two endodontic handpieces during the preparation of simulated root canals, 369
Sobel M *see* Sauveur G *et al.*
Spielberg C *see* Zmener O *et al.*
Stotz S *see* Hülsmann M & Stotz S
Sundqvist G *see* Sjögren U *et al.*
Szabö J *see* Nagy CD *et al.*

Thompson SA, Dummer PMH. Shaping ability of NT Engine and McXim rotary nickel-titanium instruments in simulated root canals. Part 1, 262; Part 2, 270

Thompson SA, Dummer PMH. Shaping ability of ProFile.04 Taper *Series 29* rotary nickel-titanium instruments in simulated root canals. Part 1, 1; Part 2, 8
Tidwell E, Jenkins JD, Ellis CD, Hutson B, Cederberg RA. Cutaneous odontogenic sinus tract to the chin: a case report, 352
Torkko HLK *see* Waltimo TMT *et al.*
Tronstad L *see* Debelian GJ *et al.*
Trope M *see* Barthel CR *et al.*; Mesaros S *et al.*
Türkün M, Cengiz T. The effects of sodium hypochlorite and calcium hydroxide on tissue dissolution and root canal cleanliness, 335
Türkün M, *see also* Çaliskan MK *et al.*

Vajrabhaya L, Sithisarn P. Multilayer and monolayer cell cultures in a cytotoxicity assay of root canal sealers, 141
Verdes E *see* Nagy CD *et al.*

Waltimo TMT, Siren EK, Torkko HLK, Olsen I, Haapasalo MPP. Fungi in therapy-resistant apical periodontitis, 96
Walton RE *see* Heard F & Walton RE
Waxenberg S *see* Kaufman AY *et al.*
Weiss EI *see* Fuss Z *et al.*
Wesselink PR *see* Kontakiotis EG *et al.*
Wu M-K *see* Kontakiotis EG *et al.*

Zmener O, Spielberg C, Lamberghini F, Rucci M. Sealing properties of a new epoxy resin-based root-canal sealer, 332
Zuolo ML *see* Imura N *et al.*

*International Endodontic Journal* (1997) **30**, 431–435

# Subject Index


Aberrations
- Comparison of stainless steel Flexofiles and nickel-titanium NiTiFlex files during the shaping of simulated canals, 25
- Comparison of two stainless steel files to shape simulated root canals, 35
- Shaping ability of the M4 handpiece and Safety Hedstrom Files in simulated root canals, 16
- Shaping ability of NT Engine and McXim rotary nickel-titanium instruments in simulated root canals. Part 1, 262; Part 2, 270

Alphaseal, An *in vitro* investigation of coronal leakage with three gutta percha backfilling techniques, 413

Amalgam
- Behaviour of post-retained core materials supported by coronal tooth structure *in vitro*, 408
- Microleakage of Diaket and amalgam in root-end cavities prepared using MicroMega sonic retro-prep tips, 196
- Short-term tissue response to potential root-end filling materials in infected root canals, 240

Apex locator, Reliability of different electronic apex locators to detect root perforations *in vitro*, 403

Apical leakage, Sealing properties of a new epoxy resin-based root-canal sealer, 332

Apical periodontitis
- Fungi in therapy-resistant apical periodontitis, 96
- Influence of infection at the time of root filling on the outcome of endodontic treatment of teeth with apical periodontitis, 297

Apical radiolucency, Application of cross-sectional imaging in the differential diagnosis of apical radiolucency, 288

Apicectomy
- Short-term tissue response to potential root-end filling materials in infected root canals, 240
- Tissue response to potential root-end filling materials in infected root canals, 102

Apit III, Reliability of different electronic apex locators to detect root perforations *in vitro*, 403

Arsenic, Arsenical necrosis of the jaws, 283

Backfilling, An *in vitro* investigation of coronal leakage with three gutta percha backfilling techniques, 413

Bacteria
- Antibacterial activity of calcium hydroxide-containing endodontic sealers on *Enterococcus faecalis in vitro*, 397
- Bacterial penetration through temporary restorative materials in root canal-treated teeth *in vitro*, 381
- Evaluation of the effectiveness of sodium hypochlorite used with three irrigation methods in the elimination of *Enterococcus faecalis* from the root canal, *in vitro*, 279
- Influence of infection at the time of root filling on the outcome of endodontic treatment of teeth with apical periodontitis, 297

Balanced force technique, Analysis of forces developed during root canal preparation with the balanced force technique, 386

Beam alignment device, Evaluation of X-ray beam angulation for successful twin canal identification in mandibular incisors, 58

Beam angulation, Periapical radiographic techniques during endodontic diagnosis and treatment, 250

Bisecting-angle radiographic techniques, Periapical radiolucencies as evaluated by bisecting-angle and paralleling radiographic techniques, 115

Blood flow, Comparison of two laser Doppler systems on the measurement of blood flow of premolar teeth under different pulpal conditions, 167

British Endodontic Society, Report of the Spring Meeting, March 1997, 223

Calcium hydroxide
- Antibacterial activity of calcium hydroxide-containing endodontic sealers on *Enterococcus faecalis in vitro*, 397
- Calcium hydroxide root canal sealers: evaluation of pH, calcium ion concentration and conductivity, 205
- Effects of sodium hypochlorite and calcium hydroxide on tissue dissolution and root canal cleanliness, 335
- Incomplete calcium hydroxide removal from the root canal – a case report, 418
- TNF-alpha release in monocytes after exposure to calcium hydroxide treated *Escherichia coli* LPS, 155
- Treatment of root perforations with calcium hydroxide and SuperEBA cement: a clinical report, 210

Canal debridement, Scanning electron microscope study comparing four root canal preparation techniques in small curved canals, 323

Canal identification, Evaluation of X-ray beam angulation for successful twin canal identification in mandibular incisors, 58

Canal Master U, Preparation of simulated root canals using the Macfile, Canal Master U and K-Flexofile, 160

Canal preparation *see* Root canal: Shaping

Canal shaping *see* Shaping

*Candida albicans*, Fungi in therapy-resistant apical periodontitis, 96

Cell culture, Multilayer and monolayer cell cultures in a cytotoxicity assay of root canal sealers, 141

Chloroform, Efficacy, cleaning ability and safety of different devices for gutta-percha removal in root canal treatment, 227

Citric acid, The effectiveness of three irrigating solutions on root canal cleaning after hand and mechanical preparation, 51

CO2 laser, The effect of pulpotomy using CO2 and Nd:YAG lasers on dental pulp tissue, 175

Computerized tomography, Application of cross-sectional imaging in the differential diagnosis of apical radiolucency, 288

Cores, The behaviour of post-retained core materials supported by coronal tooth structure *in vitro*, 408

Coronal leakage *see* Leakage

Coronal tooth structure, The behaviour of post-retained core materials supported by coronal tooth structure *in vitro*, 408

Crown, An *in vitro* study of coronal microleakage in root canal treated teeth restored by the post and core technique, 361

Curved root canal
- Effect of root canal morphology on canal shape following instrumentation using different techniques, 133
- Preparation of simulated root canals using the Macfile, Canal Master U and K-Flexofile, 160
- Scanning electron microscope study comparing four root canal preparation techniques in small curved canals, 323

Cutaneous odontogenic sinus tracts, Cutaneous odontogenic sinus tract to the chin: a case report, 352


© 1997 Blackwell Science Ltd

Cyst management, Conservative management of a large maxillary cyst, 64
Cytotoxicity, Multilayer and monolayer cell cultures in a cytotoxicity assay of root canal sealers, 141

*Dens in dente*, Surgical treatment of a periradicular lesion on an invaginated maxillary lateral incisor (*dens in dente*), 145
Dens invaginatus
Dens invaginatus: aetiology, classification, prevalence, diagnosis, and treatment considerations, 79
Surgical treatment of a periradicular lesion on an invaginated maxillary lateral incisor (*dens in dente*), 145
Dental pulp, The effect of pulpotomy using CO2 and Nd:YAG lasers on dental pulp tissue, 175
Diaket, Microleakage of Diaket and amalgam in root-end cavities prepared using MicroMega sonic retro-prep tips, 196

Endodontic failure, Incomplete calcium hydroxide removal from the root canal – a case report, 418
Endodontics, Undergraduate endodontic teaching in the United Kingdom: an update, 234
Endograph, Analysis of forces developed during root canal preparation with the balanced force technique, 386
Endotec, Efficacy, cleaning ability and safety of different devices for gutta-percha removal in root canal treatment, 227
Engine driven files, A comparative study of seven instruments in shaping the root canal *in vitro*, 124
*Enterobacteriaceae* infections, Microbiological findings and clinical treatment procedures in endodontic cases selected for microbiological investigation, 91
*Enterococcus faecalis*
Antibacterial activity of calcium hydroxide-containing endodontic sealers on *Enterococcus faecalis in vitro*, 397
Evaluation of the effectiveness of sodium hypochlorite used with three irrigation methods in the elimination of *Enterococcus faecalis* from the root canal, *in vitro*, 279
Microbiological findings and clinical treatment procedures in endodontic cases selected for microbiological investigation, 91
Epoxy resin-based root-canal sealer, Sealing properties of a new epoxy resin-based root-canal sealer, 332
*Escherichia coli*, TNF-alpha release in monocytes after exposure to calcium hydroxide treated *Escherichia coli* LPS, 155

Files
Comparative study of seven instruments in shaping the root canal *in vitro*, 124
Comparison of stainless steel Flexofiles and nickel-titanium NiTiFlex files during the shaping of simulated canals, 25
Comparison of two stainless steel files to shape simulated root canals, 35
Efficacy, cleaning ability and safety of different devices for gutta-percha removal in root canal treatment, 227
Preparation of simulated root canals using the Macfile, Canal Master U and K-Flexofile, 160
Shaping ability of ProFile.04 Taper *Series 29* rotary nickel-titanium instruments in simulated root canals. Part 1, 1; Part 2, 8
Flexofiles
Comparison of stainless steel Flexofiles and nickel-titanium NiTiFlex files during the shaping of simulated canals, 25
Preparation of simulated root canals using the Macfile, Canal Master U and K-Flexofile, 160
Fluid transport, Effect of sealer thickness on long-term sealing ability: a 2-year follow-up study, 307
Force, Analysis of forces developed during root canal preparation with the balanced force technique, 386
Fungaemia, Observation of *Saccharomyces cerevisiae* in blood of patient undergoing root canal treatment, 313
Fungi, Fungi in therapy-resistant apical periodontitis, 96

Gates-Glidden bur, Efficacy, cleaning ability and safety of different devices for gutta-percha removal in root canal treatment, 227
Glass ionomer cement
Short-term tissue response to potential root-end filling materials in infected root canals, 240
Tissue response to potential root-end filling materials in infected root canals, 102
Gutta-percha, Surgical treatment of a periradicular lesion on an invaginated maxillary lateral incisor (*dens in dente*), 145
Gutta-percha removal, Efficacy, cleaning ability and safety of different devices for gutta-percha removal in root canal treatment, 227

Hand files, A comparative study of seven instruments in shaping the root canal *in vitro*, 124
Hand instrumentation, The effectiveness of three irrigating solutions on root canal cleaning after hand and mechanical preparation, 51
Handpieces, Comparison of two endodontic handpieces during the preparation of simulated root canals, 369
Hedstrom files, Efficacy, cleaning ability and safety of different devices for gutta-percha removal in root canal treatment, 227
Hyperplastic pulpitis, Histological evaluation of a tooth with hyperplastic pulpitis and periapical osteosclerosis, 347

Infection
Influence of infection at the time of root filling on the outcome of endodontic treatment of teeth with apical periodontitis, 297
Observation of *Saccharomyces cerevisiae* in blood of patient undergoing root canal treatment, 313
Short-term tissue response to potential root-end filling materials in infected root canals, 240
Infrared thermography
Thermographic assessment of heat generated on the root surface during post space preparation, 187
Thermographic assessment of root canal obturation using thermomechanical compaction, 191
Instrumentation, The effect of root canal morphology on canal shape following instrumentation using different techniques, 133
Intracanal medication, Incomplete calcium hydroxide removal from the root canal – a case report, 418
Invaginated teeth *see* Dens invaginatus
Irrigating solutions, The effectiveness of three irrigating solutions on root canal cleaning after hand and mechanical preparation, 51

K-Flexofile, Preparation of simulated root canals using the Macfile, Canal Master U and K-Flexofile, 160
Kalzinol, Short-term tissue response to potential root-end filling materials in infected root canals, 240

Largal Ultra, The effectiveness of three irrigating solutions on root canal cleaning after hand and mechanical preparation, 51
Laser Doppler flowmetry, Comparison of two laser Doppler systems on the measurement of blood flow of premolar teeth under different pulpal conditions, 167
Lasers, The effect of pulpotomy using CO2 and Nd:YAG lasers on dental pulp tissue, 175

Leakage
Bacterial penetration through temporary restorative materials in root canal-treated teeth *in vitro*, 381
Effect of sealer thickness on long-term sealing ability: a 2-year follow-up study, 307
Evaluation of microbial coronal leakage in the restored pulp chamber of root-canal treated multirooted teeth, 318
*In vitro* investigation of coronal leakage with three gutta percha backfilling techniques, 413
*In vitro* study of coronal microleakage in root canal treated teeth restored by the post and core technique, 361
Late failure of root canal therapy: a diagnostic and treatment planning challenge. Case report, 68
Microleakage of Diaket and amalgam in root-end cavities prepared using MicroMega sonic retro-prep tips, 196
Sealing properties of a new epoxy resin-based root-canal sealer, 332
Lentulo spiral, An *in-vitro* evaluation of sealer placement methods, 181
Lightspeed, The 'Lightspeed' preparation technique evaluated by Swiss clinicians after attending continuing education courses, 46
Lining, An evaluation of microbial coronal leakage in the restored pulp chamber of root-canal treated multirooted teeth, 318
Lipopolysaccharide, TNF-alpha release in monocytes after exposure to calcium hydroxide treated *Escherichia coli* LPS, 155

M4 handpiece, Shaping ability of the M4 handpiece and Safety Hedstrom Files in simulated root canals, 16
Macfile, Preparation of simulated root canals using the Macfile, Canal Master U and K-Flexofile, 160
McXim instrument, Shaping ability of NT Engine and McXim rotary nickel-titanium instruments in simulated root canals. Part 1, 262; Part 2, 270
Mandibular first molar, Root canal treatment of a mandibular first molar with three mesial root canals, 422
Mandibular incisors, Evaluation of X-ray beam angulation for successful twin canal identification in mandibular incisors, 58
Max-i-Probe Delivery System, An *in-vitro* evaluation of sealer placement methods, 181
Maxillary cyst, Conservative management of a large maxillary cyst, 64
Maxillary lateral incisor, Surgical treatment of a periradicular lesion on an invaginated maxillary lateral incisor (*dens in dente*), 145
Mechanical instrumentation, The effectiveness of three irrigating solutions on root canal cleaning after hand and mechanical preparation, 51
Mesial root canals, Root canal treatment of a mandibular first molar with three mesial root canals, 422
Micro-Mega sonic retro-prep tips, Microleakage of Diaket and amalgam in root-end cavities prepared using MicroMega sonic retro-prep tips, 196
Microbiology, Microbiological findings and clinical treatment procedures in endodontic cases selected for microbiological investigation, 91
Microleakage *see* Leakage
Microorganisms, An evaluation of microbial coronal leakage in the restored pulp chamber of root-canal treated multirooted teeth, 318
Model teaching, A model for the teaching of clinical techniques in root canal treatment, 343
Monolayer, Multilayer and monolayer cell cultures in a cytotoxicity assay of root canal sealers, 141
Multilayer, Multilayer and monolayer cell cultures in a cytotoxicity assay of root canal sealers, 141

Naso-palatine duct cyst, Application of cross-sectional imaging in the differential diagnosis of apical radiolucency, 288
Nd:YAG laser, The effect of pulpotomy using $CO_2$ and Nd:YAG lasers on dental pulp tissue, 175
Necrosis, Arsenical necrosis of the jaws, 283
Nickel-titanium
Comparison of stainless steel Flexofiles and nickel-titanium NiTiFlex files during the shaping of simulated canals, 25
Shaping ability of NT Engine and McXim rotary nickel-titanium instruments in simulated root canals. Part 1, 262; Part 2, 270
Shaping ability of ProFile.04 Taper *Series 29* rotary nickel-titanium instruments in simulated root canals. Part 1, 1; Part 2, 8
NiTiFlex files, A comparison of stainless steel Flexofiles and nickel-titanium NiTiFlex files during the shaping of simulated canals, 25
NT Engine instrument, Shaping ability of NT Engine and McXim rotary nickel-titanium instruments in simulated root canals. Part 1, 262; Part 2, 270

Obtura, An *in vitro* investigation of coronal leakage with three gutta percha backfilling techniques, 413
Odontogenic sinus tracts, Cutaneous odontogenic sinus tract to the chin: a case report, 352
One visit treatment, Influence of infection at the time of root filling on the outcome of endodontic treatment of teeth with apical periodontitis, 297

Paralleling radiographic techniques, Periapical radiolucencies as evaluated by bisecting-angle and paralleling radiographic techniques, 115
Perforation, Treatment of root perforations with calcium hydroxide and SuperEBA cement: a clinical report, 210
Periapical osteosclerosis, Histological evaluation of a tooth with hyperplastic pulpitis and periapical osteosclerosis, 347
Periapical radiographs, Periapical radiographic techniques during endodontic diagnosis and treatment, 250
Periapical radiolucencies, Periapical radiolucencies as evaluated by bisecting-angle and paralleling radiographic techniques, 115
Permanent canine, Root canal treatment of a mandibular canine with three root canals. Case report, 291
Post, The behaviour of post-retained core materials supported by coronal tooth structure *in vitro*, 408
Post and core technique, An *in vitro* study of coronal microleakage in root canal treated teeth restored by the post and core technique, 361
Post space, Thermographic assessment of heat generated on the root surface during post space preparation, 187
Premolar teeth, Comparison of two laser Doppler systems on the measurement of blood flow of premolar teeth under different pulpal conditions, 167
Pro-File.04 Taper *Series 29*, Shaping ability of ProFile.04 Taper *Series 29* rotary nickel-titanium instruments in simulated root canals. Part 1, 1; Part 2, 8
Pulpal blood flow, Comparison of two laser Doppler systems on the measurement of blood flow of premolar teeth under different pulpal conditions, 167
Pulpotomy, The effect of pulpotomy using CO2 and Nd:YAG lasers on dental pulp tissue, 175

Questionnaire, The 'Lightspeed' preparation technique evaluated by Swiss clinicians after attending continuing education courses, 46

Radiation geometry, Periapical radiographic techniques during endodontic diagnosis and treatment, 250

Radiology
Evaluation of X-ray beam angulation for successful twin canal identification in mandibular incisors, 58
Periapical radiographic techniques during endodontic diagnosis and treatment, 250
Periapical radiolucencies as evaluated by bisecting-angle and paralleling radiographic techniques, 115
Resin-modified glass ionomer. An evaluation of microbial coronal leakage in the restored pulp chamber of root-canal treated multi-rooted teeth, 318
Retro-prep tip. Microleakage of Diaket and amalgam in root-end cavities prepared using MicroMega sonic retro-prep tips, 196
Retrograde filling. Surgical treatment of a periradicular lesion on an invaginated maxillary lateral incisor (*dens in dente*), 145
Ribotyping. Observation of *Saccharomyces cerevisiae* in blood of patient undergoing root canal treatment, 313
Root canal
Analysis of forces developed during root canal preparation with the balanced force technique, 386
Bacterial penetration through temporary restorative materials in root canal-treated teeth *in vitro*, 381
Comparative study of seven instruments in shaping the root canal *in vitro*, 124
Comparison of two endodontic handpieces during the preparation of simulated root canals, 369
Comparison of two stainless steel files to shape simulated root canals, 35
Conservative management of a large maxillary cyst, 64
Preparation of simulated root canals using the Macfile, Canal Master U and K-Flexofile, 160
Shaping ability of the M4 handpiece and Safety Hedstrom Files in simulated root canals, 16
Shaping ability of NT Engine and McXim rotary nickel-titanium instruments in simulated root canals. Part 1, 262; Part 2, 270
Shaping ability of ProFile.04 Taper *Series 29* rotary nickel-titanium instruments in simulated root canals. Part 1, 1; Part 2, 8
Root canal anatomy. Root canal treatment of a mandibular canine with three root canals. Case report, 291
Root canal cleanliness. The effects of sodium hypochlorite and calcium hydroxide on tissue dissolution and root canal cleanliness, 335
Root canal curvature. The effect of root canal morphology on canal shape following instrumentation using different techniques, 133
Root canal filling. Sealing properties of a new epoxy resin-based root-canal sealer, 332
Root canal instrument. Preparation of simulated root canals using the Macfile, Canal Master U and K-Flexofile, 160
Root canal irrigation. Evaluation of the effectiveness of sodium hypochlorite used with three irrigation methods in the elimination of *Enterococcus faecalis* from the root canal, *in vitro*, 279
Root canal sealer
Calcium hydroxide root canal sealers: evaluation of pH, calcium ion concentration and conductivity, 205
Multilayer and monolayer cell cultures in a cytotoxicity assay of root canal sealers, 141
Root canal treatment
Incomplete calcium hydroxide removal from the root canal – a case report, 418
Late failure of root canal therapy: a diagnostic and treatment planning challenge. Case report, 68
Microbiological findings and clinical treatment procedures in endodontic cases selected for microbiological investigation, 91
Model for the teaching of clinical techniques in root canal treatment, 343
Root canal treatment of a mandibular canine with three root canals. Case report, 291
Root canal treatment of a mandibular first molar with three mesial root canals, 422
TNF-alpha release in monocytes after exposure to calcium hydroxide treated *Escherichia coli* LPS, 155
Undergraduate endodontic teaching in the United Kingdom: an update, 234
Root filling. Influence of infection at the time of root filling on the outcome of endodontic treatment of teeth with apical periodontitis, 297
Root ZX. Reliability of different electronic apex locators to detect root perforations *in vitro*, 403
Rotary files. Shaping ability of ProFile.04 Taper *Series 29* rotary nickel-titanium instruments in simulated root canals. Part 1, 1; Part 2, 8
Rotary instruments. Shaping ability of NT Engine and McXim rotary nickel-titanium instruments in simulated root canals. Part 1, 262; Part 2, 270

*Saccharomyces cerevisiae*. Observation of *Saccharomyces cerevisiae* in blood of patient undergoing root canal treatment, 313
Safety Hedstrom file. Shaping ability of the M4 handpiece and Safety Hedstrom Files in simulated root canals, 16
Scanning electron microscopy. Scanning electron microscope study comparing four root canal preparation techniques in small curved canals, 323
Scanora. Application of cross-sectional imaging in the differential diagnosis of apical radiolucency, 288
SDS-PAGE. Observation of *Saccharomyces cerevisiae* in blood of patient undergoing root canal treatment, 313
Sealer thickness. Effect of sealer thickness on long-term sealing ability: a 2-year follow-up study, 307
Sealer(s)
Antibacterial activity of calcium hydroxide-containing endodontic sealers on *Enterococcus faecalis in vitro*, 397
Calcium hydroxide root canal sealers: evaluation of pH, calcium ion concentration and conductivity, 205
*In-vitro* evaluation of sealer placement methods, 181
Sealing properties of a new epoxy resin-based root-canal sealer, 332
Shaping
Comparative study of seven instruments in shaping the root canal *in vitro*, 124
Comparison of stainless steel Flexofiles and nickel-titanium NiTiFlex files during the shaping of simulated canals, 25
Comparison of two stainless steel files to shape simulated root canals, 35
Effect of root canal morphology on canal shape following instrumentation using different techniques, 133
Shaping ability of the M4 handpiece and Safety Hedstrom Files in simulated root canals, 16
Shaping ability of NT Engine and McXim rotary nickel-titanium instruments in simulated root canals. Part 1, 262; Part 2, 270
Shaping ability of ProFile.04 Taper *Series 29* rotary nickel-titanium instruments in simulated root canals. Part 1, 1; Part 2, 8
Silver amalgam. The behaviour of post-retained core materials supported by coronal tooth structure *in vitro*, 408
Silver-glass cermet. The behaviour of post-retained core materials supported by coronal tooth structure *in vitro*, 408
Simulated canals *see* Root canal
Sinus tracts. Cutaneous odontogenic sinus tract to the chin: a case report, 352

Smear layer
Effectiveness of three irrigating solutions on root canal cleaning after hand and mechanical preparation, 51
Effects of sodium hypochlorite and calcium hydroxide on tissue dissolution and root canal cleanliness, 335
Sodium hypochlorite
Effects of sodium hypochlorite and calcium hydroxide on tissue dissolution and root canal cleanliness, 335
Evaluation of the effectiveness of sodium hypochlorite used with three irrigation methods in the elimination of *Enterococcus faecalis* from the root canal, *in vitro*, 279
Solvent action. The effects of sodium hypochlorite and calcium hydroxide on tissue dissolution and root canal cleanliness, 335
Sonic Air handpiece. Comparison of two endodontic handpieces during the preparation of simulated root canals, 369
Sono Explorer Mark II Junior. Reliability of different electronic apex locators to detect root perforations *in vitro*, 403
SuperEBA. Treatment of root perforations with calcium hydroxide and SuperEBA cement: a clinical report, 210
System B. An *in vitro* investigation of coronal leakage with three gutta percha backfilling techniques, 413

Teaching
A model for the teaching of clinical techniques in root canal treatment, 343
Undergraduate endodontic teaching in the United Kingdom: an update, 234
Temperature changes. Thermographic assessment of heat generated on the root surface during post space preparation, 187
Temporary crown. An *in vitro* study of coronal microleakage in root canal treated teeth restored by the post and core technique, 361
Temporary restorative material. Bacterial penetration through temporary restorative materials in root canal-treated teeth *in vitro*, 381
Thermography
Thermographic assessment of heat generated on the root surface during post space preparation, 187
Thermographic assessment of root canal obturation using thermomechanical compaction, 191
Thermomechanical obturation. Thermographic assessment of root canal obturation using thermomechanical compaction, 191
Three root canals. Root canal treatment of a mandibular canine with three root canals. Case report, 291
Tissue components. Incomplete calcium hydroxide removal from the root canal – a case report, 418
Tissue response
Short-term tissue response to potential root-end filling materials in infected root canals, 240
Tissue response to potential root-end filling materials in infected root canals, 102
Torque. Analysis of forces developed during root canal preparation with the balanced force technique, 386
Tubulicid Plus. The effectiveness of three irrigating solutions on root canal cleaning after hand and mechanical preparation, 51
Tumour necrosis factor-alpha. TNF-alpha release in monocytes after exposure to calcium hydroxide treated *Escherichia coli* LPS, 155

Ultrasonic activation
Comparative study of seven instruments in shaping the root canal *in vitro*, 124
Effects of sodium hypochlorite and calcium hydroxide on tissue dissolution and root canal cleanliness, 335
Undergraduate. Undergraduate endodontic teaching in the United Kingdom: an update, 234

Vitrebond. Short-term tissue response to potential root-end filling materials in infected root canals, 240
Vitrebond liner. An evaluation of microbial coronal leakage in the restored pulp chamber of root-canal treated multirooted teeth, 318

XGP drill. Efficacy, cleaning ability and safety of different devices for gutta-percha removal in root canal treatment, 227

Yeasts. Fungi in therapy-resistant apical periodontitis, 96